Discrete Mathematics 89 (1991) 329–330
North-Holland

Author index to volume 89 (1991)

Ainouche, A., Four sufficient conditions for hamiltonian graphs (*Communication*) (2) 195–200
Albertson, M.O. and D.M. Berman, The number of cut-vertices in a graph of given minimum degree (*Note*) (1) 97–100
Amar, D., E. Flandrin, I. Fournier and A. Germa, Pancyclism in hamiltonian graphs (2) 111–131
Behrendt, G., The lattice of antichain cutsets of a partially ordered set (*Note*) (2) 201–202
Berman, D.M., see Albertson, M.O. (1) 97–100
Bryant, R.D. and H. Fredricksen, Covering the de Bruijn graph (2) 133–148
Chernyak, A.A. and Z.A. Chernyak, Split dimension of graphs (1) 1– 6
Chernyak, Z.A., see Chernyak, A.A. (1) 1– 6
Colbourn, C.J., K.T. Phelps, M.J. de Resmini and A. Rosa, Partitioning Steiner triple systems into complete arcs (2) 149–160
Constantine, G.M., see Farrell, E.J. (2) 203–210
Cordovil, R., K. Fukuda and M.L. Moreira, Clutters and matroids (2) 161–171
Courteau, B. and A. Montpetit, Dual distances of completely regular codes (1) 7– 15
Damaschke, P., Irredundance number versus domination number (*Note*) (1) 101–104
de Resmini, M.J., see Colbourn, C.J. (2) 149–160
Exoo, G., Three color Ramsey number of $K_4 - e$ (*Note*) (3) 301–305
Farrell, E.J., J.M. Guo and G.M. Constantine, On matching coefficients (*Note*) (2) 203–210
Flandrin, E., see Amar, D. (2) 111–131
Fournier, I., see Amar, D. (2) 111–131
Fredricksen, H., see Bryant, R.D. (2) 133–148
Fukuda, K., see Cordovil, R. (2) 161–171
Germa, A., see Amar, D. (2) 111–131
Guo, J.M., see Farrell, E.J. (2) 203–210
Harzheim, E., Weakly arithmetic progressions in sets of natural numbers (*Note*) (1) 105–107
Hoffman, D.G., C.C. Lindner and K.T. Phelps, Blocking sets in designs with block size four II (3) 221–229
Jacobson, M.S., M. Truszczyński and Z. Tuza, Decompositions of regular bipartite graphs (1) 17– 27
Kharaghani, H., An infinite class of Hadamard matrices of maximal excess (*Note*) (3) 307–312
Koolen, J.H., see van den Akker, J.M. (3) 325
Lamken, E.R., The existence of 3 orthogonal partitioned incomplete Latin squares of type t^n (3) 231–251
Lefmann H., Non t-intersecting families of linear spaces over GF(q) (2) 173–183
Lindner, C.C., see Hoffman, D.G. (3) 221–229
Marcu, D., The powers of two and three (*Note*) (2) 211–212
McKee, T.A., Intersection properties of graphs (3) 253–260
Mollard, M., Cycle-regular graphs (1) 29– 41
Montpetit, A., see Courteau, B. (1) 7– 15
Moreira, M.L., see Cordovil, R. (2) 161–171
Phelps, K.T., see Colbourn, C.J. (2) 149–160
Phelps, K.T., see Hoffman, D.G. (3) 221–229
Richter, R.B., Spanning trees, Eulerr tours, medial graphs, left-right paths and cycle spaces (3) 261–268
Rosa, A., see Colbourn, C.J. (2) 149–160
Seifter, N., Groups acting on graphs with polynomial growth (3) 269–280
Sharir, M. and S.S. Skiena, Tight bounds on a problem of lines and intersections (*Note*) (3) 313–314

Šiňajová, E., A note on vector representation of graphs (*Note*) (3) 315–317
Skiena, S.S., see Sharir, M. (3) 313–314
Solé, P., On the parameters of codes for the Lee and modular distance (2) 185–194
Spera, A.G., (s, k, λ)-Partitions of a vector space (*Note*) (2) 213–217
Stahl, S., Region distributions of some small diameter graphs (3) 281–299
Stöhr, E., The pagewidth of trivalent planar graphs (1) 43– 49
Tian, F. and W. Zang, The maximum number of diagonals of a cycle in a block and its extremal graphs (1) 51– 63
Truszczyński, M., see Jacobson, M.S. (1) 17– 27
Tuza, Z., see Jacobson, M.S. (1) 17– 27
Vaessens, R.J.M., see van den Akker, J.M. (3) 325
van den Akker, J.M., J.H. Koolen and R.J.M. Vaessens, Perfect codes with distinct protective radii (*Addendum*) (3) 325
Xu, C., A necessary and sufficient condition for a graph G with diameter 5 to be 2-diameter-stable (*Note*) (3) 319–324
Xu, S., Relations between parameters of a graph (1) 65– 88
Zang, W., see Tian, F. (1) 51– 63
Zhan, S., On hamiltonian line graphs and connectivity (1) 89– 95